

AMENDMENTS TO DESCRIPTION OF THE DRAWINGS

Please replace paragraph [0004] with the following rewritten paragraph.

~~Drawing~~—FIG. 1 is the front view of the handkerchief Valet. ~~FIG 1a is a picture of the handkerchief Valet outline with handkerchief located inside of coat pocket. FIG. 1b is a picture of handkerchief valet with handkerchief.~~

Please replace paragraph [0005] with the following rewritten paragraph.

~~Drawing~~—FIG. 2 is the back side view of the handkerchief valet showing a retracted extension tab (et) and ~~velcro~~ Velcro or double-sided adhesive tape (vc/dsat).

Please replace paragraph [0006] with the following rewritten paragraph.

~~Drawing~~—FIG. 3 is the right side end view of the handkerchief valet. ~~FIG. 3a is a picture of the right side end view of the handkerchief valet and et and folded handkerchief.~~

AMENDMENTS TO THE SPECIFICATION

Please replace paragraph [0007] with the following rewritten paragraph.

Referring to Figs. 1-3, a ~~The~~ handkerchief valet 10 can be made from heavy grade card board paper or plastic or cloth or leather materials. Essentially, the handkerchief valet 10 has a body 12 that is made from two pieces of equally shaped material sewed, a front portion 14 and a rear portion 16, stapled or otherwise bonded firmly together around the outside edges on three sides. ~~The~~ A top side 18 is left open for insertion of the handkerchief into a fairly tight gap formed by joining of the ~~two pieces of materials~~ front portion 14 and the rear portion 16. ~~See drawing Fig. 1.~~

Please replace paragraph [0008] with the following rewritten paragraph.

The shape of the handkerchief valet assimilates the average shape of the exterior upper left side chest pocket of a suit coat or sports jacket. In the preferred embodiment the ~~The~~ handkerchief valet has a width of is three and one-half inches ($3\frac{1}{2}$ " ~~in width~~) and the height is four and three-quarter inches ($4\frac{3}{4}$ " on the right side and ~~decline to~~ four and one-quarter inches ($4\frac{1}{4}$ " on the left side. Thus, the top side 18 has an angled surface 20, which preferably is a similar angle to that of a suit coat or sports jacket. The bottom is level. ~~See drawing Fig. 1.~~

Please replace paragraph [0009] with the following rewritten paragraph.

Because chest pockets ~~varies~~ vary in depth, the handkerchief valet 10 will have an extension tab 22 ~~feature~~ that can increase the depth size of the handkerchief valet 10. The preferred maximum height of the handkerchief valet 10 is to seven inches (7"). The extension feature tab 22 preferable has ~~will be~~ a rectangular shape mechanism (~~tab~~), which is made from the same materials as described above. The preferred size of the extension tab 22 will be two and one-quarter inches ($2\frac{1}{4}$ " wide by three and one-half inches ($3\frac{1}{2}$ " long. ~~See drawing Fig. 2.~~

Please replace paragraph [0010] with the following rewritten paragraph.

The extension tab 22 will be located ~~at the backside~~ connect to the rear portion 14 of the handkerchief valet and is inserted from the top side into a first slit 24 and out of a second slit 26 which are preferably ~~two slits~~ located five-sixteenth of an inch ($\{\frac{5}{16}\}$ " apart. In addition, the ~~The~~ edges of the slits 24, 26 will have reinforced stitching to accommodate wearing. In the preferred embodiment the top of

~~the~~ The first slit 24 ~~from the top~~ is seven-eighths of an inch ($7/8$ ") from the bottom of the handkerchief valet body 12. ~~See drawing Fig. 2.~~

Please replace paragraph [0011] with the following rewritten paragraph.

The ~~back side~~ rear portion 16 of the handkerchief valet and ~~front side~~ of the extension tab 22 will be bonded with ~~a covering of velcro~~ Velcro or double sided adhesive tape (vc/dsat) 27. By applying the vc/dsat 27, this will enable the individual to change and hold the desired height setting firmly in place. In the preferred embodiment Velcro is used and the ~~The vc/dsat~~ Velcro 27a on the extension tab 22 is one inch (1") wide by three and one-quarter inch ($3\frac{1}{4}$ ") in length. It is also preferred that the ~~The~~ vc/dsat Velcro 27b on the handkerchief valet 10 is (1") wide by ($3\frac{3}{4}$ ") in length. ~~The vc/dsat on the et is (1") wide by ($3\frac{1}{4}$ ") in length. See drawing Fig. 2.~~ Moreover, the extension tab 22 has a top 28 that has a length that is greater than the length of the slits 24, 26 so that the top 28 cannot pass through the slits 24, 26. In addition, the extension tab 22 has a base 30 which has a length that is shorter than the length of the slits 24, 26 so that the base 30 can pass through the slits 24, 26.

Please replace paragraph [0012] with the following rewritten paragraph.

So that the handkerchief valet 10 does not accidentally fall out of the chest pocket, it is preferred that there are two strips of double sided adhesive tape (dsat) 32 to prevent slippage. In the preferred embodiment the ~~The~~ size of the two strips of dsat 32 will be one-half inch ($1/2$ ") wide by three inches (3") in length. The two strips of dsat 32 will be placed on the front side of the handkerchief valet 10 ~~horizontally~~ horizontally.

one inch (1") from the left side and one inch (1") from the bottom. See drawing Fig. 4.